

# 9 Series

Monitoring - Co-axial, Elegant & Tour-ready Stage Monitors



## Applications

- Stage Monitoring
- Multi-purpose Design for FOH use
- Theatre Sound Reinforcement
- High Energy Installations

## Features

- Point-source phase coherent response
- Consistent 60 x 40 coverage
- Low-profile design for touring & broadcast applications
- High Acoustic Output (136 dB SPL)
- Suited for floor monitoring, FOH and side-fill applications
- Optional horizontal & vertical yokes

## Products in the Series

- Delta 95X
- Delta 92X

The 9 series co-axial monitors are a range of high performance stage monitors, with a coherent response, low profile elegant aesthetics, and a rugged tour ready build. Our Twin-wave high-frequency waveguide ensures a smooth & consistent 60 x 40 coverage. The series comes pre-fitted with our low-noise crossovers for a plug & play 8 ohms use

British Acoustics

Creative Park, Langley Park,

Durham DH7 9TT, UK.

All Rights Reserved - British Acoustics

T: +44 191 373 7638

E: [info@britishacoustics.com](mailto:info@britishacoustics.com)

[www.britishacoustics.com](http://www.britishacoustics.com)

# Delta 92X

## 15" Co-axial Multipurpose Monitor

### Technical Specifications

<b>Frequency Range</b> (-10 dB)	58Hz - 20 kHz
<b>Frequency Response</b> (-3 dB)	78Hz - 20kHz
<b>Coverage Pattern</b>	80° x 80°
<b>Max Spl</b>	129 dB
<b>Crossover Frequency</b>	1.6 kHz
<b>Rated Power</b>	300W AES, 1200W peak
<b>Nominal Impedance</b>	Passive: 8 ohms, Bi-amp LF: 8 ohms, Bi-amp HF: 8 ohms
<b>LF Driver</b>	12" Coaxial 2-Way High Power Driver, 3" VC - Ferrite
<b>HF Driver</b>	1.5" exit compression driver, 3" VC
<b>Sensitivity</b>	97dB

### General Specifications

<b>Enclosure</b>	Marine Birchwood Cabinet, Premium Grade
<b>Grill</b>	Powder coated durable grill with acoustically transparent foam
<b>Finish</b>	British Acoustics' Signature Brown Finish
<b>Mounting System</b>	Pole Mount Socket - Wood Recessed Handles - M-10 insertion points
<b>Height</b>	16.3"
<b>Width</b>	21.5"
<b>Depth</b>	15"
<b>Weight</b>	40 Kgs

